

INDIAN FARMERS FERTILISER COOPERATIVE LIMITED



Paradeep Unit

Run Date:

SUGGESTION NO WISE REPORT

Monday March 16 2015 4:18 PM

From Date 01/12/2013

To Date 30/11/2014

Sno	Sugg No	Sugg Dt	Name	Designation	Deptt	Section	Sugg Heading	Status	Desc
1	1314000501	04/12/2013	108525-HITESH MANDYAL	Dy. Mgr.(Power)	Utilities	Power Plant	Modification in MP steam line to DAP	ACCEPTED BY COMMITTEE	
2	1314000506	10/12/2013	108526-SAHADEV TARAI	Dy. Mgr.(Mech)	Maintenance	Pap Mechanical	A RUBBER DEFLECTOR TO BE PROVIDED ON BEARING HOUSING OF CLOTH RETURN ROLLER AND BELT RETURN ROLLER ,	ACCEPTED BY COMMITTEE	
3	1314000507	17/12/2013	109584-AKASH BEHERA	Asstt. Mgr.(Proc)	Production	Dap Process	Chainmill inlet modification	ACCEPTED BY COMMITTEE	
4	1314000515	21/12/2013	108149-JAGABANDHU PATI	Sr Draftsman	Technical Service	Gen. Engg Services	Development of Drawing Work Requisition Software	ACCEPTED BY COMMITTEE	
5	1314000527	09/01/2014	109141-ANKIT SHARMA	Dy. Mgr.(Inst)	Maintenance	Instrumentation - I	Relocation of Level Transmitter of Turbine Lub. Oil Tank	ACCEPTED BY COMMITTEE	
2	1314000527		108058-FULDEV SINGH	Tech(Inst) Gr II		MAINTENANCE			
6	1314000533	10/01/2014	106954-KANHAIYA PRASAD	Asstt. Mgr.(Inst)	Maintenance	Instrumentation - I	APRON FOLDER SWITCH	ACCEPTED BY COMMITTEE	
7	1314000538	14/01/2014	108705-B K SAHOO	Tech.(Mech) Gr II	Maintenance	Mech.[Power Plant)	screen gressing using air pressure gress gun	ACCEPTED BY COMMITTEE	
8	1314000541	20/01/2014	108770-GAURAV SHUKLA	Dy. Mgr.(Power)	Maintenance	Mech.[Power Plant)	Over fire air	ACCEPTED BY COMMITTEE	
9	1314000551	24/01/2014	108755-RAJESH KUMAR RANJAN	Fire Inspector	Fire & Safety	Fire & Safety	Provision of Modular DCP Extinguisher at UPS Battery Rooms.	ACCEPTED BY COMMITTEE	
10	1314000560	26/01/2014	107604-KITABUDDIN	Asst Optr(DAP) Gr I	Production	Dap Process	DDC discharge bottom door to be provided	ACCEPTED BY COMMITTEE	
11	1314000561	26/01/2014	108172-SATYABRATA MOHAPATRA	Sr Tech(Mech) Gr I	Maintenance	Central Workshop	Enhancing excavator bucket life, minimizing failure and increasing efficiency by modification	ACCEPTED BY COMMITTEE	
12	1314000563	27/01/2014	107098-B M S CHANDRA SEKHAR	Mgr.(Elect)	Maintenance	Electrical - I	Auto change over of Normal and Emergency supply in Fire MCC	ACCEPTED BY COMMITTEE	
13	1314000575	29/01/2014	105742-ROHITASH SINGH	Dy. Mgr.(Elect)PSG	Maintenance	Electrical Amm - I	Flame Proof hoist in Ammonia Compressor House.	ACCEPTED BY COMMITTEE	
14	1314000577	29/01/2014	109752-SUJIT SINGH	Jr Tech(Mech) Gr IV	Maintenance	Mech.[Power Plant)	BEND PULLY PLATFORM AREA EXTENTION	ACCEPTED BY COMMITTEE	
2	1314000577		108705-B K SAHOO	Tech.(Mech) Gr II		MAINTENANCE			
15	1314000580	30/01/2014	108198-VIJAY KUMAR GUPTA	Rigger Gr M(Prod)	Production	Dap Process	Platform required near 2nd NH3 battery limit valve at DAP Train "C"	ACCEPTED BY COMMITTEE	
16	1314000583	30/01/2014	108776-M RAVI KIRAN KUMAR	Dy. Mgr.(DAP)	Production	Dap Process	SCA TANK INLET LINE OF F.O	ACCEPTED BY COMMITTEE	
17	1314000591	31/01/2014	109729-AMITESH KUMAR PANWAR	Sr Engineer(Mech)	Production	Product Handling	INSTALLATION OF PARKING STOP BLOCKS IN FRONT OF LOADING PLATFORM FOR EACH SLAT IN BAGGING PLANT	ACCEPTED BY COMMITTEE	
18	1314000596	01/02/2014	107632-PRAFULLA KUMAR ROUT	Optr(DAP) Gr I	Production	Dap Process	Dechoking of incoming weak acid and strong acid lines from PAP	ACCEPTED BY COMMITTEE	
19	1314000599	01/02/2014	107750-RANJEET SINGH	Rigger Gr M(Prod)	Production	Dap Process	One Manhole with door may be provided in dryer deduct at Tr.A side.	ACCEPTED BY COMMITTEE	
20	1314000602	02/02/2014	109141-ANKIT SHARMA	Dy. Mgr.(Inst)	Maintenance	Instrumentation - I	Maintenance related safety	ACCEPTED BY COMMITTEE	
21	1314000603	02/02/2014	108961-MANORANJAN BEURA	Dy. Mgr.(Elect)	Maintenance	Electrical - I	Stircase (LIFT SIDE) to the Belt Filter should be covered with jally.	ACCEPTED BY COMMITTEE	
22	1314000606	02/02/2014	108961-MANORANJAN BEURA	Dy. Mgr.(Elect)	Maintenance	Electrical - I	Seal water line of Evaporater feed pumps to be diverted from it's original location.	ACCEPTED BY COMMITTEE	
23	1314000609	03/02/2014	108803-JYOTI RANJAN SWAIN	Dy. Mgr.(Mech)	Maintenance	Pap Mechanical	Modification of Feed chute.	ACCEPTED BY COMMITTEE	
24	1314000610	04/02/2014	107682-VIMAL KUMAR	Attendant Gr M	Production	Dap Process	Screen hoppers dedusting line modification	ACCEPTED BY COMMITTEE	
25	1314000629	09/02/2014	107768-AJAY KUMAR SINGH	Rigger Gr M(Maint)	Maintenance	Pap Mechanical	FSA transfer pump 1 , 3inch line to be replaced	ACCEPTED BY COMMITTEE	
26	1314000630	09/02/2014	108961-MANORANJAN BEURA	Dy. Mgr.(Elect)	Maintenance	Electrical - I	Rock weigh feeder-C motor to be replaced with lower rating motor.	ACCEPTED BY COMMITTEE	
27	1314000654	19/02/2014	108280-SANISCHAR MISHRA	Optr(PAP) Gr I	Production	Pap Process	POND WATER INSTALLED FOR EVAPORATOR BOIL OUT.	ACCEPTED BY COMMITTEE	

INDIAN FARMERS FERTILISER COOPERATIVE LIMITED



Paradeep Unit

Run Date:

SUGGESTION NO WISE REPORT

Monday March 16 2015 4:18 PM

From Date 01/12/2013

To Date 30/11/2014

Sno	Sugg No	Sugg Dt	Name	Designation	Deptt	Section	Sugg Heading	Status	Desc
28	1314000664	26/02/2014	108062-GIRI BABU	Asst Tech(Elec)Gr II	Maintenance	Electrical - I	Dike wall for transformers(1250kVA) at Ammonia substation	ACCEPTED BY COMMITTEE	
	2	1314000664	107098-B M S CHANDRA	Mgr.(Elect)		MAINTENANCE			
29	1314000666	26/02/2014	108062-GIRI BABU	Asst Tech(Elec)Gr II	Maintenance	Electrical - I	Providing approach stand for Ammonia transfer pump A&B. and Zypsum pumps LT motors(1,2,3&4) better improvement	ACCEPTED BY COMMITTEE	
30	1314000669	26/02/2014	108656-SATYAJIT KAR	Asst Tech(Elec) I	GrMaintenance	Electrical - I		ACCEPTED BY COMMITTEE	
31	1314000672	28/02/2014	108188-SAROJ KR MOHANTY	Asst Optr(SAP) II	Gr Production	Sap Process	Level indicator of sulphur surge hopper at sulphur filter building	ACCEPTED BY COMMITTEE	
32	1314000685	04/03/2014	108172-SATYABRATA MOHAPATRA	Sr Tech(Mech) I	Gr Maintenance	Central Workshop	MODIFICATION IN LUBRICATION SYSTEM OF LOWER TRACK ROLLER OF EXCAVATOR EX300 LONG ARM	ACCEPTED BY COMMITTEE	
33	1314000688	05/03/2014	108060-KULDEEP PD GUPTA	Optr(DAP) Gr II	Production	Dap Process	12 no chainmill balancing line job	ACCEPTED BY COMMITTEE	
34	1314000701	13/03/2014	109589-RISHABH MISHRA	Asstt. Mgr.(Inst)	Maintenance	Instrumentation - I	Provision for Instrument air reciever tank in vicinity of Energy Center	ACCEPTED BY COMMITTEE	
35	1314000710	19/03/2014	108060-KULDEEP PD GUPTA	Optr(DAP) Gr II	Production	Dap Process	Modification of Product screen inlet	ACCEPTED BY COMMITTEE	
36	1415000002	01/04/2014	108633-AJIT KUMAR JENA	Ch Tech(Mech) I	Gr Maintenance	Pap Mechanical	Manual slide gate feeding chute of cov 103C	ACCEPTED BY COMMITTEE	
37	1415000019	21/04/2014	106954-KANHAIYA PRASAD	Asstt. Mgr.(Inst)	Maintenance	Instrumentation - I	Additional belt sway switch provide in R-1 conveyor at least 3m before from existing.	ACCEPTED BY COMMITTEE	
38	1415000024	23/04/2014	108766-PRASHANTA KUMAR NAYAK	Dy. Mgr.(Mech)	Maintenance	Product Handling	To Reduce the amplitude of Vibration of VIBRATING SCREENS so as to cut down breakdown of machine.	ACCEPTED BY COMMITTEE	
	2	1415000024	108581-SAMEER SINGH	Dy. Mgr.(Mech)		MAINTENANCE			
	3	1415000024	108112-UMA CHARAN SW	Asst Tech(Mech) Gr II		MAINTENANCE			
	4	1415000024	108154-FIROZ ALAM	Asst Tech(Mech) Gr I		MAINTENANCE			
39	1415000026	24/04/2014	109236-RANJAN KUMAR SETH	Dy. Mgr.(B&MH)	Maintenance	Product Handling	R-14 CONVEYOR TAIL PULLEY FRAME MODIFICATION .	ACCEPTED BY COMMITTEE	
40	1415000027	24/04/2014	109236-RANJAN KUMAR SETH	Dy. Mgr.(B&MH)	Maintenance	Product Handling	INSTALLATION OF DEFLECTOR PLATE INSIDE R-10A CONVEYOR DISCHARGE CHUTE .	ACCEPTED BY COMMITTEE	
41	1415000029	25/04/2014	108922-RATIKANTA BEHURA	Dy. Mgr.(Power)	Maintenance	Mech.[Power Plant)	PROVIDING SIGNAL AT CONTROL ROOM FOR OPERATION OF COMPRESSOR AT FIELD	ACCEPTED BY COMMITTEE	
42	1415000030	25/04/2014	108934-BIBHUTOSH MISHRA	Asstt. Mgr.(DAP)	Production	Sap Process	making RCC boundary upto 4 feet immediately bellow melter tanks at ground floor	ACCEPTED BY COMMITTEE	
43	1415000052	27/04/2014	109584-AKASH BEHERA	Asstt. Mgr.(Proc)	Production	Dap Process	Modification of Steam tracing lines provided near slurry lines in DAP Tr B	ACCEPTED BY COMMITTEE	
44	1415000063	06/05/2014	108705-B K SAHOO	Tech.(Mech) Gr II	Maintenance	Mech.[Power Plant)	nbc-1 parallel switch in truck tripler	ACCEPTED BY COMMITTEE	
45	1415000065	09/05/2014	108999-SADANANDA PANDA	Dy. Mgr.(Mech)	Maintenance	Pap Mechanical	Failure / Breaking of Pump Pulleys of Vacuum Cooler Circulation Pump in PAP.	ACCEPTED BY COMMITTEE	
46	1415000081	06/06/2014	108516-SARVESH KUMAR	Dy. Mgr.(Inst)	Maintenance	Instrumentation - I	Provision of additional Level measurement in sulphur pump tanks in SAP	ACCEPTED BY COMMITTEE	
47	1415000088	10/06/2014	108531-DEEPAK KUMAR TUNGA	Mgr.(Elect)	Maintenance	Electrical - I	Installation of braking resistor in horizontal belt conveyor drive of screw type unloader.	ACCEPTED BY COMMITTEE	
48	1415000092	12/06/2014	108049-SUSANTA KR MALLICK	Tech(Inst) Gr I	Maintenance	Instrumentation - I	OD bearing reappear by plate	ACCEPTED BY COMMITTEE	
49	1415000111	07/07/2014	109230-JYOTI PRAKASH DASH	Dy. Mgr.(Proce)	Technical Service	Process Engg	LP steam savings by installing filter in TG scrubber pump common discharge line to reduce choking of	ACCEPTED BY COMMITTEE	
	2	1415000111	109228-VIPIN POURUSH	Dy. Mgr.(GE)		TECHNICAL SERVICE			
	3	1415000111	109235-M NAGENDRA KUD	Dy. Mgr.(EPC)		FIRE & SAFETY			
50	1415000126	11/07/2014	108155-JOKHU PRASAD	Sr Tech(Mech) Gr I	Maintenance	Product Handling	INSTALLATION FLAXIBLE HOSE OF RADIATER TO FLUID COUPLING	ACCEPTED BY COMMITTEE	
51	1415000128	13/07/2014	109724-VINAY YADAV	Sr Engr.(Instr.)	Maintenance	Instrumentation	To provide a safety shower stand at the	ACCEPTED BY	

INDIAN FARMERS FERTILISER COOPERATIVE LIMITED



Paradeep Unit

Run Date:

SUGGESTION NO WISE REPORT

Monday March 16 2015 4:18 PM

From Date 01/12/2013

To Date 30/11/2014

Sno	Sugg No	Sugg Dt	Name	Designation	Deptt	Section	Sugg Heading	Status	Desc
						- I	top of Ammonia Storage Tank-C	COMMITTEE	
52	1415000130	14/07/2014	108713-SUSANTA KUMAR NAG	Sr Tech(Mech) Gr I	Maintenance	Central Workshop	MONKEY LADDER FOR WORK SHOP BUILDING	ACCEPTED BY COMMITTEE	
	2	1415000130	107990-GURUCHARAN K	Tech.(Mech) Gr II		MAINTENANCE			
53	1415000135	15/07/2014	108659-HIMANSU SEKHAR SENAPATI	Asst Optr(DAP) Gr I	Production	Dap Process	VALVE REPLACEMENT	ACCEPTED BY COMMITTEE	
54	1415000139	16/07/2014	108667-SAURABH SRIVASTAVA	Dy. Mgr.(Power)	Utilities	Power Plant	Feedback of Turbine Tripping solenoid feeder in DCS	ACCEPTED BY COMMITTEE	
55	1415000154	18/07/2014	101060-V.K.SHARMA	Mgr.(PH)	Production	Product Handling	To provide cutter in side stitching head machines & starts/stop switch near by stitching machine	ACCEPTED BY COMMITTEE	
56	1415000168	22/07/2014	108254-GOPINATH SAHOO	Asst Tech(Elec) Gr I	Maintenance	Electrical - I	6.6kv breakers platform.	ACCEPTED BY COMMITTEE	
57	1415000170	23/07/2014	108497-K B S S SAIBABA	Asstt. Mgr.(Mech)	Maintenance	Dap Mechanical	Magnet to be provide at potash transfer conveyor discharge area	ACCEPTED BY COMMITTEE	
	2	1415000170	108243-KAMAL SINGH NE	Asst Tech(Mech) Gr II		MAINTENANCE			
	3	1415000170	107948-LOKNATH BARIK	Attendant Gr L1		MAINTENANCE			
58	1415000171	23/07/2014	107686-RAJ KUMAR SINGH	Attendant Gr M	Production	Dap Process	Product screen inlet (all) distribution box divider plate to be removed	ACCEPTED BY COMMITTEE	
	2	1415000171	108203-HASEEN MOHAM	Rigger Gr M(Prod)		PRODUCTION			
59	1415000172	24/07/2014	108713-SUSANTA KUMAR NAG	Sr Tech(Mech) Gr I	Maintenance	Central Workshop	MODIFICATION OF TPS ROAD SWEEPING MACHINE AIR CLEANER ASSY. FOR TURBO FILTER	ACCEPTED BY COMMITTEE	
	2	1415000172	108727-SURYA PAL SINGH	Tech.(Mech) Gr II		MAINTENANCE			
60	1415000179	26/07/2014	108473-PRAMOD KUMAR SETHY	Asst Tech(Inst) Gr II	Maintenance	Instrumentation - I	TO PROVIDE SKIRT RUBBER FOR SCA SPARAY NOZZLE ON 70-PRODUCT STORAGE CONVEYOR	ACCEPTED BY COMMITTEE	
61	1415000180	26/07/2014	108658-SURYAKANTA ROUT	Asst Tech(Elec) Gr I	Maintenance	Electrical - I	Providing double cross arm street light poles at TG Cooling Tower back side	ACCEPTED BY COMMITTEE	
62	1415000185	27/07/2014	108658-SURYAKANTA ROUT	Asst Tech(Elec) Gr I	Maintenance	Electrical - I	Gravel filling in Transformer(35,36,39,40) Yard at Energy Center	ACCEPTED BY COMMITTEE	
63	1415000190	28/07/2014	108668-SAILAJA PRASAD RATH	Sr. Mgr.(Instr)	Maintenance	Instrumentation - I	MEASUREMENT OF COAL FED INTO FURNACE OF AFBC BOILER THROUGH DCF	ACCEPTED BY COMMITTEE	
64	1415000193	29/07/2014	107684-INDRA PAL SINGH	Attendant Gr L1	Production	Dap Process	Provision of vibrator at vibro feeder discharge chute at bottom	ACCEPTED BY COMMITTEE	
65	1415000194	29/07/2014	107684-INDRA PAL SINGH	Attendant Gr L1	Production	Dap Process	Connection of dedusting line of 21 & 22 at divertor floor	ACCEPTED BY COMMITTEE	
66	1415000195	29/07/2014	107684-INDRA PAL SINGH	Attendant Gr L1	Production	Dap Process	Provision of shortpiece of downcomer line of dust & fumes cyclone at chain mill floor	ACCEPTED BY COMMITTEE	
67	1415000196	29/07/2014	107965-GANESH PRASAD MOHANTY	Attendant Gr L1	Production	Dap Process	Granulator discharge grizzle height to be incresed	ACCEPTED BY COMMITTEE	
68	1415000198	29/07/2014	108665-MANAS SAMAL	Asst Optr(DAP) Gr I	Production	Dap Process	Provision of PA system at ground floor at left side corner of entry point to SE boot	ACCEPTED BY COMMITTEE	
69	1415000199	29/07/2014	108792-CHANDRA PRAKASH RAI	Asst Optr(SAP) Gr I	Production	Sap Process	provide plants manual in hindi	ACCEPTED BY COMMITTEE	
70	1415000209	30/07/2014	108470-TAPAN PRADHAN	Asst Tech(Elec) Gr II	Maintenance	Electrical - I	PROVIDED EXHAUST FAN IN BATTERY BANK	ACCEPTED BY COMMITTEE	
	2	1415000209	108829-SMRUTI RANJAN	Asst Tech(Elec) Gr I		MAINTENANCE			
71	1415000210	31/07/2014	108222-GURMEL SINGH	Asst Tech(Inst) Gr II	Maintenance	Instrumentation - I	Primary to pre liquid line it is below platform so it must be in platform so that for maintenance	ACCEPTED BY COMMITTEE	
72	1415000211	31/07/2014	109230-JYOTI PRAKASH DASH	Dy. Mgr.(Proce)	Technical Service	Process Engg	REDUCTION IN FO CONSUMPTION BY USING STEAM AIR HEATER	ACCEPTED BY COMMITTEE	
	2	1415000211	108520-P VENKATESWAR	Dy. Mgr.(Proce)		TECHNICAL SERVICE			
	3	1415000211	108538-SANTOSH KUMAR	Dy. Mgr.(GE)		TECHNICAL SERVICE			
	4	1415000211	109235-M NAGENDRA K	Dy. Mgr.(EPC)		FIRE & SAFETY			
73	1415000219	03/08/2014	106954-KANHAIYA PRASAD	Asstt. Mgr.(Inst)	Maintenance	Instrumentation - I	Sulphuric Acid Flowmeter should be in Common Header because we are	ACCEPTED BY COMMITTEE	

INDIAN FARMERS FERTILISER COOPERATIVE LIMITED



Paradeep Unit

Run Date:

SUGGESTION NO WISE REPORT

Monday March 16 2015 4:18 PM

From Date 01/12/2013

To Date 30/11/2014

Sno	Sugg No	Sugg Dt	Name	Designation	Deptt	Section	Sugg Heading	Status	Desc
74	1415000220	03/08/2014	108323-KRUSHNA CHANDRA SUBUDHI	Optr(PAP) Gr II	Production	Pap Process	unloading at our jetty or MPB . To provide blind,inlet of ejector system and intercondenser system in evaporator section.	ACCEPTED BY COMMITTEE	
75	1415000223	04/08/2014	108172-SATYABRATA MOHAPATRA	Sr Tech(Mech) Gr I	Maintenance	Central Workshop	MODIFICATION OF AIR INTAKE SYSTEM IN SANY CRANE	ACCEPTED BY COMMITTEE	
2	1415000223		108135-TILAK RAJ BHARVA	Asst Tech(Mech) Gr I		MAINTENANCE			
76	1415000228	05/08/2014	107945-BABULI CH DAS	Rigger Gr L1(Prod)	Production	Product Handling	PA systems are to be installed at 111 & 116 conv head end side.	ACCEPTED BY COMMITTEE	
77	1415000229	05/08/2014	107945-BABULI CH DAS	Rigger Gr L1(Prod)	Production	Product Handling	Safety Sirens are to be installed at 120 & 123 conveyors	ACCEPTED BY COMMITTEE	
78	1415000231	05/08/2014	109852-OMKARESWAR MISHRA	Asstt. Mgr.(PAP)	Production	Pap Process	Reuducing Down time of Evaporator-G	ACCEPTED BY COMMITTEE	
79	1415000238	06/08/2014	108829-SMRUTI RANJAN JENA	Asst Tech(Elec) Gr I	Maintenance	Electrical - I	cctv camera networking hub stasion power supply provied through UPS	ACCEPTED BY COMMITTEE	
2	1415000238		108454-BISWAJIT RATH	Asst Tech(Elec) Gr I		MAINTENANCE	supply		
80	1415000244	09/08/2014	109852-OMKARESWAR MISHRA	Asstt. Mgr.(PAP)	Production	Pap Process	Improving Belt Filter-Air Blower Interlock	ACCEPTED BY COMMITTEE	
81	1415000245	10/08/2014	109852-OMKARESWAR MISHRA	Asstt. Mgr.(PAP)	Production	Pap Process	Modification of Sludge Line to Reactor	ACCEPTED BY COMMITTEE	
82	1415000247	11/08/2014	108259-SANJAY KR SAHOO	Asst Tech(Elec) Gr I	Maintenance	Electrical - I	R M Conveyer deck plate modification.	ACCEPTED BY COMMITTEE	
83	1415000254	11/08/2014	108531-DEEPAK KUMAR TUNGA	Mgr.(Elect)	Maintenance	Electrical - I	Anti-collision sensor installation in grab ship unloader -1.	ACCEPTED BY COMMITTEE	
84	1415000255	11/08/2014	108531-DEEPAK KUMAR TUNGA	Mgr.(Elect)	Maintenance	Electrical - I	Platform may be extended at horizontal arm of screw type unloader for maintenance of speed guard.	ACCEPTED BY COMMITTEE	
85	1415000256	11/08/2014	108531-DEEPAK KUMAR TUNGA	Mgr.(Elect)	Maintenance	Electrical - I	Platform may be extended at vertical platform for maintenance of vertical conveyor motors 1 & 3.	ACCEPTED BY COMMITTEE	
86	1415000259	12/08/2014	108232-RATIKANTA BEHERA	Tech(Mech) Gr I	Maintenance	Mech.[Power Plant)	to provide extension platform from secondary crusher 1a vibrofedder area	ACCEPTED BY COMMITTEE	
87	1415000265	12/08/2014	108659-HIMANSU SEKHAR SENAPATI	Asst Optr(DAP) Gr I	Production	Dap Process	Isolation valve to be provided in dryer lube oil pump discharge	ACCEPTED BY COMMITTEE	
88	1415000266	12/08/2014	108813-RAJ KUMAR YADAV	Dy. Mgr.(DAP)	Production	Dap Process	steam trap to be provided in MP steam to slurry line at granulator floor	ACCEPTED BY COMMITTEE	
89	1415000269	13/08/2014	108628-SUBIR KUMAR BARDHAN	Asstt. Mgr.(Mech)	Maintenance	Mech.[Power Plant)	Dust seal to provide at housing of upper connecting arm	ACCEPTED BY COMMITTEE	
90	1415000276	18/08/2014	108323-KRUSHNA CHANDRA SUBUDHI	Optr(PAP) Gr II	Production	Pap Process	FLUSHING LINE PROVISION TO BE PROVIDED IN P-443	ACCEPTED BY COMMITTEE	
91	1415000277	18/08/2014	108323-KRUSHNA CHANDRA SUBUDHI	Optr(PAP) Gr II	Production	Pap Process	DRAIN POINT PROVISION TO BE PROVIDED IN PUMP-443 &441	ACCEPTED BY COMMITTEE	
92	1415000286	20/08/2014	108232-RATIKANTA BEHERA	Tech(Mech) Gr I	Maintenance	Mech.[Power Plant)	To provide ladder to nbc-4 take up area	ACCEPTED BY COMMITTEE	
93	1415000290	23/08/2014	108583-A SRINIVASU	Dy. Mgr.(Mech)	Maintenance	Mech(Planning)	CONTRACTOR MATERIAL ENTRY	ACCEPTED BY COMMITTEE	
94	1415000294	25/08/2014	107086-G SIVASHANKAR	Sr.Mgr.(Systems)	Systems	Systems	Using STP cable instead of F.O / UTP cable to establish Network connectivity for Short Distance	ACCEPTED BY COMMITTEE	
95	1415000298	27/08/2014	108263-DEEPAK KR SAHU	Tech(Elec) Gr I	Maintenance	Electrical - I	Shifting of Power JB for all chain mills fromchain mill floor to surge hopper floor for Tr# A,B and	ACCEPTED BY COMMITTEE	
96	1415000308	31/08/2014	108252-ANIL KUMAR SINGH	Sr Tech(Inst) Gr I	Maintenance	Instrumentation - I	Turbine secondary oil pressure signal is to be provided in DCS.	ACCEPTED BY COMMITTEE	
97	1415000313	03/09/2014	108513-BIRUPAKHYA SAMANTARAY	Dy. Mgr.(DAP)	Production	Dap Process	To provide isolation valves in Dryer lube oil pumps discharge, filters discharge & before strainer.	ACCEPTED BY COMMITTEE	
98	1415000318	04/09/2014	108815-GAURAV KUMAR MISHRA	Dy. Mgr.(DAP)	Production	Dap Process	Grizzly to be provided at immediate discharge of pan feeder	ACCEPTED BY COMMITTEE	
99	1415000327	08/09/2014	108931-SANJIB KUMAR MAITY	Dy. Mgr.(PAP)	Production	Pap Process	Providing of canopy/guard for Belt filter ZSS.	ACCEPTED BY COMMITTEE	

INDIAN FARMERS FERTILISER COOPERATIVE LIMITED



Paradeep Unit

Run Date:

SUGGESTION NO WISE REPORT

Monday March 16 2015 4:18 PM

From Date 01/12/2013

To Date 30/11/2014

Sno	Sugg No	Sugg Dt	Name	Designation	Deptt	Section	Sugg Heading	Status	Desc
100	1415000337	13/09/2014	108799-DIBYA RANJAN KAR	Dy. Mgr.(DAP)	Production	Dap Process	Product screen outlet chute 23 & 24 to be modified and to be connected with 21,22 outlet.	ACCEPTED BY COMMITTEE	
	2 1415000337		107626-SHAMBHU GHOSH	Optr(DAP) Gr II		PRODUCTION			
101	1415000344	18/09/2014	108323-KRUSHNA CHANDRA SUBUDHI	Optr(PAP) Gr II	Production	Pap Process	ZERO SPEED TO BE PROVIDED IN (T-411,T-412,T-413,T-414) ALL RAKE SYSTEM.	ACCEPTED BY COMMITTEE	
102	1415000352	26/09/2014	108923-TUSHAR KANTA BHOI	Dy. Mgr.(Power)	Maintenance	Mech.[Power Plant)	To Convert 4th & 5th Bed Primary Air line Damper of Both Boiler to Pnematic operated through DCS.	ACCEPTED BY COMMITTEE	
103	1415000367	09/10/2014	109729-AMITESH KUMAR PANWAR	Sr Engineer(Mech)	Production	Product Handling	INSTALLATION OF SKIRT RUBBER FOR PACKING OF SCREEN TO PREVENT SPILLAGE	ACCEPTED BY COMMITTEE	
104	1415000372	15/10/2014	108523-RAJESH KUMAR	Dy. Mgr.(Mech)	Maintenance	Mech.[Power Plant)	TAIL END OF NBC-2 TO BE SHIFTED TOWARDS VIBROFEEDER	ACCEPTED BY COMMITTEE	
105	1415000375	18/10/2014	108497-K B S S SAIBABA	Asstt. Mgr.(Mech)	Maintenance	Dap Mechanical	FINES CONVEYOR TAIL PULLY	ACCEPTED BY COMMITTEE	
106	1415000380	21/10/2014	107721-S SHAHID ARFEEN RIJVI	Asst Optr(Power)Gr I	Maintenance	Mech.[Power Plant)	Separate 01 inch plant air line for our ash unloader in Ash Silo.	ACCEPTED BY COMMITTEE	
107	1415000403	11/11/2014	109754-SHIBA PRASAD LENKA	Jr Tech(Mech) Gr IV	Maintenance	Instrumentation - I	relocation of MP STEAM PT910A	ACCEPTED BY COMMITTEE	
108	1415000406	11/11/2014	108230-SURESH BHOL	Attendant Gr M	Production	Dap Process	PNEUMATIC VIBRATOR IN PRIMARY ELEVATOR IMMEDIATE DISCHARGE LINE	ACCEPTED BY COMMITTEE	
109	1415000408	11/11/2014	108202-CHARAN PAL SINGH	Rigger Gr L(Prod)	Production	Dap Process	LADDER REQUIRED ON WEAK ACID TANK TO OPEN W/O & W/N 1 ACID LINE VALVE	ACCEPTED BY COMMITTEE	
110	1415000412	13/11/2014	108536-RANJAN KUMAR PATTANAIK	Dy. Mgr.(Mech)	Utilities	Power Plant	CONTROL ASH SPREADING	ACCEPTED BY COMMITTEE	
111	1415000419	14/11/2014	107740-PRATAP KUMAR PARIMANIK	Tech(Mech) Gr I	Maintenance	Product Handling	NEW STAIR CASE REQUIRED AT R4 CONV NEAR BOUNDARY WALL.	ACCEPTED BY COMMITTEE	
112	1415000421	14/11/2014	108314-AJAY YADAV	Rigger Gr M(Maint)	Maintenance	Pap Mechanical	Damper gate to be provided in the suction of Old fume scrubber fan	ACCEPTED BY COMMITTEE	
113	1415000423	14/11/2014	108240-UPENDRA GUPTA	Tech.(Mech) Gr II	Utilities	Power Plant	Extension of Pipe from VAG Filter drain to Main Drain	ACCEPTED BY COMMITTEE	
114	1415000439	15/11/2014	106675-ASHOK KUMAR SINGHA	Sr. Mgr.(Elect)	Maintenance	Electrical - I	To introduce time delay between any consecutive start of Granulator and Dryer motor of DAP Plant	ACCEPTED BY COMMITTEE	
115	1415000445	16/11/2014	108352-P RAJA KUMAR	Tech(Inst) Gr II	Maintenance	Instrumentation - I	In new ash silo unloader main water line By-pass line to be provided	ACCEPTED BY COMMITTEE	
116	1415000457	19/11/2014	107529- VENKATESHWARLU THOKALA	Dy. Mgr.(Sys.)	Systems	Systems	Decentralisation of Material Code Generation	ACCEPTED BY COMMITTEE	
117	1415000459	20/11/2014	108112-UMA CHARAN SWAIN	Asst Tech(Mech)Gr II	Maintenance	Product Handling	To reduce vibration byFixing of an additional support at the free end of winch motor(flange mounted)	ACCEPTED BY COMMITTEE	
	2 1415000459		108766-PRASHANTA KUMAR	Dy. Mgr.(Mech)		MAINTENANCE			
118	1415000461	20/11/2014	108545-VINEET KUMAR SRIVASTAVA	Dy. Mgr.(Inst)	Maintenance	Instrumentation - I	BY- PASS LINE FOR COATING OIL.	ACCEPTED BY COMMITTEE	
	2 1415000461		108221-SURENDRA SINGH	Asst Tech(Inst)Gr II		MAINTENANCE			
119	1415000463	20/11/2014	108668-SAILAJA PRASAD RATH	Sr. Mgr.(Instr)	Maintenance	Instrumentation - I	RELOCATION OF INLET CHUTE OF POTASH HOPPER	ACCEPTED BY COMMITTEE	
120	1415000467	20/11/2014	105567-MANOJ PATHAK	Mgr.(Offsites)	Utilities	Offsites	Introduction of new plant air header from Plant air Receiver to Phosphoric Tank.	ACCEPTED BY COMMITTEE	
121	1415000473	20/11/2014	108798-MANOJ KUMAR HANSRAJ	Dy. Mgr.(PAP)	Production	Pap Process	Evaporator area sump discharge towards reactor.	ACCEPTED BY COMMITTEE	
122	1415000482	21/11/2014	107585-ANIL KUMARMANI TRIPATHI	Sr Fireman Gr-II	Fire & Safety	Fire & Safety	Provision of Hydrant point at TP-3, TP-8 at Material Handling area & SBC-2 conveyor at SAP melting	ACCEPTED BY COMMITTEE	
123	1415000519	24/11/2014	108650-SANTOSH KUMAR SAHOO	Asst Tech(Inst)Gr II	Maintenance	Instrumentation - I	INSTALLATION OF PRESSURE TRANSMETER IN MP TO LP LINE	ACCEPTED BY COMMITTEE	
124	1415000522	25/11/2014	108480-SUSANTA KHANDUALA	Dy. Mgr.(Offsites)	Maintenance	Mech.[Power Plant)	Cooling water line of ESP Control Room A/C outlet line to be rerouted to T.G	ACCEPTED BY COMMITTEE	

INDIAN FARMERS FERTILISER COOPERATIVE LIMITED



Paradeep Unit

Run Date:

SUGGESTION NO WISE REPORT

Monday March 16 2015 4:18 PM

From Date 01/12/2013

To Date 30/11/2014

Sno	Sugg No	Sugg Dt	Name	Designation	Deptt	Section	Sugg Heading	Status	Desc
							Cooling Tower.		
125	1415000536	28/11/2014	108480-SUSANTA KHANDUALA	Dy. Mgr.(Offsites)	Maintenance	Mech.[Power Plant)	Installation of Air Pre - Claener before Primary air filter of AFBC Boiler reciprocating Compressor.	ACCEPTED BY COMMITTEE	
126	1415000537	28/11/2014	109500-FARHAN RAZA	Asstt. Mgr.(Inst)	Maintenance	Instrumentation - I	Safety shower near Acid Feed lines in Evaporator area	ACCEPTED BY COMMITTEE	
127	1415000539	28/11/2014	108794-CHANDRA PAL VERMA	Asst Optr(SAP) Gr I	Production	Sap Process	level transmitter.	ACCEPTED BY COMMITTEE	
128	1415000540	29/11/2014	108049-SUSANTA KR MALLICK	Tech(Inst) Gr I	Maintenance	Instrumentation - I	BOLTING THE LADDER FRAMES AS WELL AS THE STEPS INSTEAD OF FABRICATING THEM PERMANENTLY.	ACCEPTED BY COMMITTEE	
129	1415000541	29/11/2014	109499-RAMESH KUMAR A	Asstt. Mgr.(Inst)	Maintenance	Instrumentation - I	Providing additional pressure transmitter to implement low LubeOil pressure trip logic with dryer	ACCEPTED BY COMMITTEE	
130	1415000543	29/11/2014	108939-RAJESH KUMAR GUPTA	Dy. Mgr.(Inst)	Maintenance	Instrumentation - I	To install the flowmeters in third wash and fourth wash line in PAP belt filters.	ACCEPTED BY COMMITTEE	
Count :		130							